Wildlife Rehabilitation

Annual End-of-the-Year Report

2005

Submitted By:

Nicole Carion

California Department of Fish and Game

Wildlife Rehabilitation Program Coordinator

Associate Wildlife Biologist

Wildlife Investigations Lab

September 25, 2006

Currently the California Department of Fish and Game (Department) has 111 permitted Wildlife Rehabilitation Facilities. The distribution of these facilities is as follows: Northern California and North Coast Region - seven (7) permitted facilities; Sacramento Valley and Southern Sierra Region - Fifteen (15) permitted facilities; Central Coast Region - twenty-seven (27) permitted facilities; San Joaquin Valley and Southern Sierra Region - nine (9) permitted facilities; South Coast Region - Thirty-seven (37) permitted facilities; Eastern Sierra and Inland Deserts Region - sixteen (16) permitted facilities.

A Wildlife Rehabilitation Facility is defined as (CCR T-17 Section 679(e)):

"A site where activities are undertaken to restore to a condition of good health for the purposes of release into the wild, animals naturally occurring and not normally domesticated in this state."

Large mammals including, deer (excluding fawns), elk, bear (excluding bear cubs by special permit), wild pig, bighorn sheep (except by special permit), pronghorn antelope and mountain lions are prohibited from being rehabilitated by rehabilitation facilities.

Rehabilitation facilities range from zoos or nature centers (with state of the art veterinarian hospitals) to private residential homes. The number of animals received by each facility varies from 5,000+ to under 10 animals a year. Volunteers working under a permitted facility also vary from none to 200-300 individuals.

A permitting requirement (MOU condition #14) of a wildlife rehabilitation facility is to submit a yearly report to the Department consisting of the following categories: Total number of species received, total number transferred, total number pending (still being evaluated), total number released, total number expired, and total number euthanized.


In 2005, 111 wildlife rehabilitation facilities received approximately **75,696** wild injured or orphaned animals from the general public. Of the 75,696 animals received approximately **58,492** were avian species; approximately **16,793** were mammalian species, and approximately **411** reptilian species (Table 1).

Table 1. Total numbers of individual animals received by rehabilitation facilities in California, 2005.

Species Type	Total Received
Mammals	16,793
Birds	58,492
Reptiles	411
Total	75,696

Approximately 513 different species of wildlife were received by rehabilitation facilities. This included approximately 385 species of wild birds, 105 different species of mammals and 23 different species of reptiles (Figure 1).

Figure 1. Total numbers of species (by type) received by rehabilitation facilities in California, 2005



■ Birds ■ Mammals ■ Reptiles

A total of 497 endangered or threatened animals were received by wildlife rehabilitation facilities. This total was comprised of nine different species that included: Kit Fox, Bald Eagle, Willow Flycatcher, Brown Pelican, California Gnatcatcher, Spotted Owl, Snowy Plover, Least Tern, and Desert Tortoise (Table 2).

Table 2. Total numbers of endangered or threatened individual animals received by rehabilitation facilities in California, 2005


Species	Total Received	
Bald Eagle		12
Willow Flycatcher		1
Brown Pelican		352
California Gnatcatcher		1
Spotted Owl		5
Snowy Plover		16
Least Tern		2
Kit Fox		1
Desert Tortoise		106
Total		497

The most common avian species rehabilitated was the Mallard Duck (6,680), the second most common was the Mourning Dove (4,636), and the third most common was the House Finch (3,755).

The most common mammal rehabilitated was overwhelmingly the Virginia opossum (5,542), the second most common was the Red Fox Squirrel (1,567), third most common was the ground squirrel (1,352), and the fourth most common was the raccoon (1,294).

The average release rate for mammalian species was approximately 41.9%. The average release rate for avian species was approximately 44.5%. The average release rate for reptilian species is approximately 41.6% (Figure 2)

Figure 2. Percentage of individual animals released by rehabilitation facilities in California, 2005



Although the majority of the wildlife species rehabilitated and released were native, non-native species were also rehabilitated. Of the 75, 696 animals received by rehabilitation facilities 13, 431(17%) including13 different species were non-native species. Two of the non-native species rehabilitated are considered non-native invasive (European Starling and English Sparrows). Six of the non-native species rehabilitated are considered resident game birds (Turkey, Chuckar, Pheasant, White-winged Dove, Ring-Necked Dove, Eurasian Collared). Others included Virginia Opossum, Eastern Gray Squirrel, Black, Common or Norway Rat, White Dove, Rock Dove or common pigeon.

A detailed summary report of the total number of animals received, pending, transferred, released euthanized, expired, euthanized upon arrival and died upon arrival by species is attached to this report.

Species Name	DOA	EOA	EU	Exp	Rel	Oth	Trans	Total	% Rel
Albatros, Layson					3			3	100.00%
Auklet					1		1	2	50.00%
Auklet, Cassin's				9			3	12	0.00%
Auklet, Rhinoceros			1	2	4		2	9	44.44%
Avocet									0.00%
Avocet, American			1	1	8			10	80.00%
Bittern				6	4			10	40.00%
Bittern, American			1	2	4			7	57.14%
Bittern, Least					1			1	100.00%
Blackbird			2	26	26			54	48.15%
Blackbird, Brewers	13	38	102	201	282	2	2	640	44.06%
Blackbird, Red-Winged	6	8	5	13	25		1	58	43.10%
Blackbird, Tricolored					1			1	100.00%
Bluebird, Western		4	7	27	47	2	1	88	53.41%
Bunting, Lazuli				1	2			3	66.67%
Bushtit	17	15	18	197	139		31	417	33.33%
Chat, Yellowbreasted					1			1	100.00%
Chickadee					2			2	100.00%
Chickadee, Black-Capped					1			1	100.00%
Chickadee, Chestnut-Backed	12	8	2	32	24			78	30.77%
Chuckar					3			3	100.00%
Coot			14	5	18			37	48.65%
Coot, American	5	7	60				9	225	41.78%
Cormorant			5		3		4	23	13.04%
Cormorant, Brandt's		1	17	54	17		14	103	16.50%
Cormorant, Double-Crested	3	14	23				19	117	23.93%
Cormorant, Pelagic			7	15	2		3	27	7.41%
Cowbird			4	5	18			27	66.67%
Cowbird, Bronzed			1		1			2	50.00%
Cowbird, Brown-Headed	5	18	10	34	27	1		95	28.42%
Creeper, Brown				2	1			3	33.33%
Crossbill					1			1	100.00%
Crossbill, Red					3			3	100.00%
Crow, American	45	157	741	857	718	39	99	2656	27.03%
Crow, Common		1	32	60	40			133	30.08%
Curlew, Long-Billed		1		2	1			4	25.00%

Dipper				1				1	0.00%
Dove	15		26	31	46	5	4	127	36.22%
Dove, Eurasion Collared			1		2			3	66.67%
Dove, Ground			2	5	1			8	12.50%
Dove, Mourning	90	567	1235	938	1767	9	30	4636	38.11%
Dove, Pigmy Ground					2			2	100.00%
Dove, Ringed Turtle			2		6		5	17	35.29%
Dove, Ring-Necked			5		21			30	70.00%
Dove, Rock	8	245	128	126	475	16	19	1017	46.71%
Dove, White					1			1	100.00%
Dove, White-Winged			3	1	7			11	63.64%
Dowitcher, Long-Billed		3	1	1	1		1	7	14.29%
Dowitcher, Short-Billed		1	1	2				4	0.00%
Duck			1	11	37	3		52	71.15%
Duck, Black					1			1	100.00%
Duck, Bufflehead	1	1	2		3		3	10	30.00%
Duck, Bufflehead					1			1	100.00%
Duck, Canvasback			1				1	2	0.00%
Duck, Gadwall			2	4	35			41	85.37%
Duck, Goldeneye, Common			1					1	0.00%
Duck, Hybrid									0.00%
Duck, Mallard	57	62	214	1640	3806	33	868	6680	56.98%
Duck, Merganser				2	1			3	33.33%
Duck, Merganser					2		1	3	66.67%
Duck, Merganser, Common			2	12	5	1	13	33	15.15%
Duck, Merganser, Hooded			1					1	0.00%
Duck, Merganser, Red-Breasted			1	1	6		1	9	66.67%
Duck, Peking									0.00%
Duck, Pintail			1	1	6	1	2	11	54.55%
Duck, Redhead				2				2	0.00%
Duck, Ring-Necked					1		1	2	50.00%
Duck, Ruddy		2	9	8	12		6	37	32.43%
Duck, Scaup, Greater	1		1		3		1	6	50.00%
Duck, Scaup, Lesser	1		4		8		2	15	53.33%
Duck, Scoter, Black				1				1	0.00%
Duck, Scoter, Surf	4	5	12	17	15		19	72	20.83%
Duck, Shoveler, Northern	5		2	2	24		2	35	68.57%

Duck, Teal Cinnamon			1	1	2			4	50.00%
Duck, Teal, Blue-Winged				1	3		3	7	42.86%
Duck, Teal, Green-Winged	2			1	8			11	72.73%
Duck, Wigeon					20		1	21	95.24%
Duck, Wood	1		4	83	131		71	290	45.17%
Duck/Geese									0.00%
Dunlin		1					1	2	0.00%
Eagle, Bald	1		2	2	4	2	1	12	33.33%
Eagle, Golden	2	8	9	15	9	5	7	55	16.36%
Egret sp.			4	6	5	1	4	20	25.00%
Egret, Cattle		1	3	9	24	1	1	39	61.54%
Egret, Great		4	19		7		4	47	14.89%
Egret, Snowy	2	13	78	57	182	1	34	367	49.59%
Falcon, Merlin					1			1	100.00%
Falcon, Peregrine			3	3	8	9	9	32	25.00%
Falcon, Prairie		1	5	1	3	2	1	13	23.08%
Finch			18	139	212			369	57.45%
Finch, Cassin's		1	1	11	15			28	53.57%
Finch, Gold			1	8	17			26	65.38%
Finch, House	175	295	625	1282	1319	3	56	3755	35.13%
Finch, Lesser				1				1	0.00%
Finch, Purple	1	2	2	1	4			10	40.00%
Flicker			1	9				26	61.54%
Flicker, Northern	6	9	14	54	43		2	131	32.82%
Flicker, Red-Shafted			1	7	13	1	3	25	52.00%
Flicker, Yellow Shafted			1		1			2	50.00%
Flycatcher, Ash-Throated			1	6	8		2	17	47.06%
Flycatcher, Dusky				2	1			3	33.33%
Flycatcher, Olive-Stiped			1					1	0.00%
Flycatcher, Spp.			3		15			37	40.54%
Flycatcher, Western Pacific-Slope	4	3	1	27	33			68	48.53%
Flycatcher, Willow1					1			1	100.00%
Fulmar, Northern		4	11	8	2		8	33	6.06%
Fulmar, Western									0.00%
Gallinules									0.00%
Gnatcher, Bluegray				1	1			2	50.00%
Gnatcher, California			1					1	0.00%

Godwit, Marbled		2	2	2	3			9	33.33%
Godwit, sp.				1				1	0.00%
Goldfinch	1		4	_			4	51	54.90%
Goldfinch, American	16	16	8	50	60	2		152	39.47%
Goldfinch, European				1				1	0.00%
Goldfinch, Lesser	36	32	27	141	120	1	17	374	32.09%
Goose					2			2	100.00%
Goose, Brant			1	3				4	0.00%
Goose, Cackling				1	1			2	50.00%
Goose, Canada	10	47	56	28	153	3	79	376	40.69%
Goose, Greater White-Fronted									0.00%
Goose, Ross				2	4			6	66.67%
Goose, White									0.00%
Goshawk, Northern						2		2	0.00%
Grackle					1			1	100.00%
Grackle, Green tailed			2	11	1			14	7.14%
Grebe			1	4	9	2	10	26	34.62%
Grebe, Clark's			30				14	95	22.11%
Grebe, Eared			7	17	52		13	89	58.43%
Grebe, Horned			2	1	3		2	8	37.50%
Grebe, Pied-Billed	1	1	23	31	50		15	121	41.32%
Grebe, Red-Necked							2	2	0.00%
Grebe, Western		3	539	507	272	3	214	1538	17.69%
Grosbeak				3				11	72.73%
Grosbeak, Black-Headed	2	9	19	30			1	120	44.17%
Grosbeak, Evening			1	1	8			10	80.00%
Grosbeak, Pine					1			1	100.00%
Gull			36	6	26		17	85	30.59%
Gull, Bonaparte's			4	1				5	0.00%
Gull, California	6	24	137	92	150	1	10	420	35.71%
Gull, Glaucous-Winged	2	3	5				2	17	11.76%
Gull, Heermann's		1	14	12	11		3	41	26.83%
Gull, Herring	2	5	9		12		2	34	35.29%
Gull, Mew	2	8	3				1	23	13.04%
Gull, Ring Billed		15	28	17	25	1	4	90	27.78%
Gull, Thayer's	2	2	1					5	0.00%
Gull, Western	13	70	361	149	347	2	40	982	35.34%

Gull, Yellow-footed			1					1	0.00%
Gulls/Killdeer					1			1	100.00%
Gyrfalcon									0.00%
Hawk			3	3	3		3	12	25.00%
Hawk, Coopers	18	33	136	249	237	8	36	714	33.19%
Hawk, Ferruginous		1	3	1	1			6	16.67%
Hawk, Harrier, Northern				10	1	2		13	7.69%
Hawk, Harris			2	1			2	5	0.00%
Hawk, Lesser Night					3			3	100.00%
Hawk, Night, Common			2	1	3			6	50.00%
Hawk, Red-Shouldered	4	18	80	108	265		12	489	54.19%
Hawk, Red-Tailed	14	42	214	175	261	43	68	817	31.95%
Hawk, Rough-Legged									0.00%
Hawk, Sharp-Shinned	6	28	24	48	41	3	8	158	25.95%
Hawk, Sparrow				1			1	2	0.00%
Hawk, Swainson's			10	3	12	4	2	31	38.71%
Hawks/Falcons/Vultures									0.00%
Heron			1					1	0.00%
Heron, Black-Crowned Night	4	16	145	144	384	1	60	754	50.93%
Heron, Great Blue	3	10	65	50	48	2	7	185	25.95%
Heron, Green-Backed			3		39		8	52	75.00%
Heron, Little Green	4	10	56		100	1	66	294	34.01%
Heron, Night			15	5	18			38	47.37%
Herons/Egrets									0.00%
Hummingbird, Allen's	7	8	59		177		8	301	58.80%
Hummingbird, Anna's	90	64	217	360	446	2	12	1345	33.16%
Hummingbird, Black-Chinned			47	17	43			85	50.59%
Hummingbird, Calliope									0.00%
Hummingbird, Costas	1		10	18	22			51	43.14%
Hummingbird, Ruby-Throated				1		1		2	0.00%
Hummingbird, Rufous	1		1	5	8			15	53.33%
Hummingbird, Spp.			56	86	138	1	10	262	52.67%
Ibis, White -faced			1		1		2	4	25.00%
Jaeger, Parasitic				2				2	0.00%
Jaeger, Pomarine				2				2	0.00%
Jay, Blue									0.00%
Jay, Steller's	6	6	11	68	119	2	3	281	42.35%

Jay, Western Scrub	91	203	419	732	851	2	23	2287	37.21%
Jays			2		5			7	71.43%
Junco				1	6			6	100.00%
Junco, Dark-Eyed	6	14	4	43	34	2	1	110	30.91%
Junco, Oregon				2	1			3	33.33%
Kestrel	6	22	41	46	163		9	305	53.44%
Kestrel, American	4	5	25		244	8	19	375	65.07%
Killdeer	6	8	21	70	92	2	13	206	44.66%
Kingbird			4	7	11			35	31.43%
Kingbird, Cassins			3	2	8			13	61.54%
Kingbird, Western			4	18	42	4		54	77.78%
Kingfisher				2	2			4	50.00%
Kingfisher, Belted		2	4	5	6		2	19	31.58%
Kinglet					1			1	100.00%
Kinglet, Golden-Crowned					1			1	100.00%
Kinglet, Ruby-Crowned	9	3	2	16	5			35	14.29%
Kite			1	2	2		2	7	28.57%
Kite, Black-Shouldered				2	3			5	60.00%
Kite, White-Tailed	5	9	4	10	12	2	5	47	25.53%
Kittiwake, Black-Legged					1			1	100.00%
Kittiwake, Red-Legged									0.00%
Kittiwake, White Tailed							1	1	0.00%
Lark, Horned				1	2			3	66.67%
Loon			3	2	1			6	16.67%
Loon, Common	1	3	18		13		15	75	17.33%
Loon, Pacific		1	5	12	9		15	42	21.43%
Loon, Red-Throated			8	8	3		6	25	12.00%
Magpie Sp.				1				1	0.00%
Magpie, Black-Bellied						1		1	0.00%
Magpie, Yellow-Billed		1	92	135	78		2	313	24.92%
Magpie, Yellow-Billed			4	2	5			11	45.45%
Martin							1	1	0.00%
Martin, Purple			1	4	9			14	64.29%
Meadowlark				7	6			13	46.15%
Meadowlark, Western		2	11	9	8	3	1	34	23.53%
Merlin	1	2	9	13	8	2	6	39	20.51%
Merlin, Black			1		1	2		4	25.00%

Merlin, Tiaga				1	1			2	50.00%
Mockingbird		4	76		157		18	374	41.98%
Mockingbird, Northern	19	74	216	353	523	1	8	1203	43.47%
Moorhen, Common			1	8				1194	0.34%
Mountain Chickadee	3			4	15			22	68.18%
Murre, Common	12	15	133	103	51		177	491	10.39%
Murre, Thick-Billed				1				1	0.00%
Murrelet, Marbled				1			1	2	0.00%
Murrelet, Xantis				1				1	0.00%
Murrelet, Xantis				1			1	2	0.00%
Nighthawk, Common					1			1	100.00%
Nightjar					2			2	100.00%
Nutcracker, Clarks			1		1			2	50.00%
Nuthatch				2				2	0.00%
Nuthatch sp.				2	3			5	60.00%
Nuthatch, Pygmy	1	2	4	4	6			17	35.29%
Nuthatch, Red-Breasted	1			3	9			13	69.23%
Nuthatch, White-Breasted		1	1	2	3			7	42.86%
Oriole			3		9			24	37.50%
Oriole, Hooded	1		12	47	78			138	56.52%
Oriole, Northern (Bullock's)	4	1	8	34	36		1	84	42.86%
Oriole, Scotts				1				1	0.00%
Osprey	1		5	14			1	24	12.50%
Owl	19		1	3			1	55	56.36%
Owl, Barn	14	64	184	261	1206		127	1955	61.69%
Owl, Burrowing	1	4	5	17	26	10	8	71	36.62%
Owl, Flammulated				1	3			4	75.00%
Owl, Great Horned	6	14	91	76	252	14	32	475	53.05%
Owl, Long-Eared			1	1	1		2	5	20.00%
Owl, Northern Pygmy				9	4		2	15	26.67%
Owl, Saw-Whet		1	2	2	9	1		16	56.25%
Owl, Short-eared			1	2	1	1		5	20.00%
Owl, Spotted			1	1	3			5	60.00%
Owl, Western Screech	7	7	40	74	174	9	20	331	52.57%
Oyster Catcher									0.00%
Pelican									0.00%
Pelican, American White			4	4	8	2	5	23	34.78%

Pelican, Brown	1	8	93	46	144	1	59	352	40.91%
Petrel			1	1	2			4	50.00%
Petrel, Ashy Storn					1			1	100.00%
Pewee, Western Wood			1	1				2	0.00%
Phainopepela					1			1	100.00%
Phalarope, Red	1	3	5	25	75	8	5	122	61.48%
Phalarope, Red-Necked		1	3	9	2		3	18	11.11%
Phalarope, Wilsons			1	1				2	0.00%
Phalorope, Northern					1			1	100.00%
Pheasant			3		2			11	18.18%
Pheasant, Ring-Necked		4		14	16	1	8	43	37.21%
Pheasant/Quail									0.00%
Phoebe			1	6	16			23	69.57%
Phoebe, Black	14	23	46		155		3	319	48.59%
Phoebe, Say's			3		23			37	62.16%
Pigeon	1		637	263	1238		134	2308	53.64%
Pigeon, Band-Tailed	2	20	108	75	157	4	11	377	41.64%
Pigeon, Fan-Tail									0.00%
Pigeon, Guillemot			1	10	2		2	15	13.33%
Pigeon, King									0.00%
Pigeon, Racer									0.00%
Pipit, Water									0.00%
Plover, American Golden		1						1	0.00%
Plover, Black- Bellied			1				2	3	0.00%
Plover, Mongolian									0.00%
Plover, Semi-Palmated					1		1	2	50.00%
Plover, Snowy				6	6		4	16	37.50%
Poorwill, Common			8	18	53	4		83	63.86%
Puffin, Horned					1		1	2	50.00%
Puffin, Tufted			1		1			2	50.00%
Quail	49	21	13	171	155	3	21	433	35.80%
Quail, Button									0.00%
Quail, California			3	110	151		6	270	55.93%
Quail, Gambels				6	14			20	70.00%
Quail, Mountain				2				2	0.00%
Rail, Black									0.00%
Rail, Clapper				1	1			2	50.00%

Rail, Virginia	1	1	7	4	11	2	6	32	34.38%
Raptors									0.00%
Raven, Common		16	57		78		24		37.50%
Roadrunner			6		10			27	37.04%
Robin, American	44	109	122	175	338	5	7	800	42.25%
Sanderling			2	1				3	0.00%
Sandpiper				2	2		6	10	20.00%
Sandpiper, Least					1		1	2	50.00%
Sandpiper, Semi Palmated				1				1	0.00%
Sandpiper, Spotted	2							2	0.00%
Sandpiper, Western	1		2	1			1	5	0.00%
Sapsucker, Lewis					1			1	100.00%
Sapsucker, Red-Breasted	3	4	1	3				11	0.00%
Sapsucker, Red-napped					1			1	100.00%
Sapsucker, Williamsons					3			3	100.00%
Sapsucker, Yellow-Bellied					2			2	100.00%
Shearwater, Sooty	1			2				3	0.00%
Shorebirds									0.00%
Shrike, Loggerhead			2		6			9	66.67%
Siskin, Pine	15	18	5	52	31			107	28.97%
Snipe, Common	1	1	2	2	3		1	10	30.00%
Snipe, Wilsons					1			1	100.00%
Solitaire, Towsend					2			2	100.00%
Songbird	72		2		277	1		547	50.64%
Sora	1		3					14	50.00%
Sparrow		1	79	130	333	6	5	554	60.11%
Sparrow, American Tree	1							1	0.00%
Sparrow, Bairds					2			2	100.00%
Sparrow, Chipping				3	4			7	57.14%
Sparrow, Crested					2			2	100.00%
Sparrow, English	26	59	20		8		1	126	6.35%
Sparrow, Fox	3	11	8					64	34.38%
Sparrow, Golden-Crowned	10	15	13	24	27	2		91	29.67%
Sparrow, Grasshopper					1			1	100.00%
Sparrow, House	2	20	296	569	805	2	12	1706	47.19%
Sparrow, Lark				2				2	0.00%
Sparrow, Lincoln's		2	1	1	1			5	20.00%

Sparrow, Rufus Crowned				3				3	0.00%
Sparrow, Savannah	2				2			4	50.00%
Sparrow, Song			3	9	16		2	30	53.33%
Sparrow, Streaked									0.00%
Sparrow, Swainsons					3			3	100.00%
Sparrow, Vespar				1				1	0.00%
Sparrow, Vesper				1				1	0.00%
Sparrow, White-Crowned	2	6	11	14	33	2		68	48.53%
Sparrow, White-Throated					4			4	100.00%
Starling, European	18	59	182	174	435	11	26	905	48.07%
Stilt, Black-Necked			3	3	12			18	66.67%
Storm-Petrel, Ashy									0.00%
Storm-Petrel, Fork-Tailed									0.00%
Storm-Petrel, Leach's									0.00%
Surfbird					1			1	100.00%
Swallow			2				8	73	65.75%
Swallow, Barn	13	6	17	110	197	4	8	355	55.49%
Swallow, Cliff	20	9	49	246	650		18	992	65.52%
Swallow, Northern Rough-Winged			2	2	2			6	33.33%
Swallow, Tree			2	4	16			22	72.73%
Swallow, Violet-Green			1	9	5			15	33.33%
Swan, Muted					1			1	100.00%
Swan, Tundra			2		1		1	4	25.00%
Swift			1	5	3		2	11	27.27%
Swift, Black				1				1	0.00%
Swift, Chimney					1			1	100.00%
Swift, Vaux's			1	6				26	73.08%
Swift, White-Throated	4	2	9	41	75		5	140	53.57%
Tanager, Western	4	9	6	15	20			54	37.04%
Tern			1					1	0.00%
Tern Royal				1				1	0.00%
Tern, Caspian			1	2				3	0.00%
Tern, Elegant			1		1			2	50.00%
Tern, Forester's					1		1	2	50.00%
Tern, Least					1		1	2	50.00%
Thrasher, California			2	6			1	13	30.77%
Thrush			1	2	12			15	80.00%

Thrush, Hermit	12	25	21	17	41	1	1	118	34.75%
Thrush, Swainson's	4	3	5	14	41			56	73.21%
Thrush, Varied	5	2	3		4	1		22	18.18%
Titmouse			1	24	13			38	34.21%
Titmouse, Oak (Plain)	12	14	3	25	36			90	40.00%
Towee, Alberts					1			1	100.00%
Towee, Green Tailed					1			1	100.00%
Towhee			8		47			87	54.02%
Towhee, California	55	84	90	320	134		5	688	19.48%
Towhee, Rufous-Sided			1	3	11			15	73.33%
Towhee, Spotted	5	3	9	27	39			83	46.99%
Tropicbird, Red-tailed			1					1	0.00%
Turkey, Wild	7	7	6	63	28	4	2	117	23.93%
Turnstone, Black									0.00%
Unknown (Bird Species)				12			2	14	0.00%
Verdin				6				6	0.00%
Viero					1			1	100.00%
Viero				4	11			15	73.33%
Vireo, Huttons				12	1			13	7.69%
Vireo, Red-Eyed									0.00%
Vireo, Warbling			1	1	2			4	50.00%
Vulture				1	1	1		3	33.33%
Vulture, Turkey	3	9	27	19			8	102	29.41%
Warbler			1	1	13	1	1	17	76.47%
Warbler, Black-Throated Gray					1			1	100.00%
Warbler, Hermit	1							1	0.00%
Warbler, Hooded			1		1			2	50.00%
Warbler, MacGillivaray's				1				1	0.00%
Warbler, Nashville				1	2			3	66.67%
Warbler, Orange-Crowned	3	1	2	11	6			23	26.09%
Warbler, Tennessee					1			1	100.00%
Warbler, Townsend's	1	2		3	1			7	14.29%
Warbler, Wilson's	5	2	3	9	13			32	40.63%
Warbler, Yellow	1	1	4	_				20	45.00%
Warbler, Yellow-Rumped	4	2	10	28	20	2		66	30.30%
Waterthrush, Northern				1				1	0.00%
Waxwing, Bohemian					1			1	100.00%

Waxwing, Cedar	9	17	1	32	39	6	1	105	37.14%
Whipoorwill					1			1	100.00%
Willet			2		2		1	5	40.00%
Wood Pecker, White headed					1			1	100.00%
Woodpecker			1	4	7			12	58.33%
Woodpecker, Acorn	4	2	33	76	108	3	9	235	45.96%
Woodpecker, Downy	4	2	2	3	8			19	42.11%
Woodpecker, Hairy	1			1	4			6	66.67%
Woodpecker, Ladder-Backed									0.00%
Woodpecker, Nuttall's	7	16	8	27	46			104	44.23%
Woodpecker, Pileated									0.00%
Woodpecker, Red-Headed				1				1	0.00%
Wren			2	16	7			25	28.00%
Wren, Bewick's	12	10	4	25	32			83	38.55%
Wren, Cactus				1	5			6	83.33%
Wren, Canyon		1		2				3	0.00%
Wren, House	2		6	28	37			73	50.68%
Wren, Marsh		1						1	0.00%
Wren, Rock				1	1			2	50.00%
Wren, Winter	1	1		2				4	0.00%
Wrentit			2	7	5			14	35.71%
Yellowthroat, Common				4	4			8	50.00%
TOTALS	1423	3070	9591	14900	24580	543	3086	58,492	

Species Name	DOA	EOA	EU	Exp	Rel	Oth	Trans	Total	% Rel
Badger	1		1	1	1	1		5	20.00%
Bat			17	4	18	1	8	48	37.50%
Bat, Big Brown				4	10	1	1	16	62.50%
Bat, Brown			1		1			2	50.00%
Bat, California Myotis	4	3	2	11	16		4	40	40.00%
Bat, Desert Red					1			1	100.00%
Bat, Hoary		1	3	2	4	2	4	16	25.00%
Bat, Little Brown Myotis			2	10	6			18	33.33%
Bat, Long LeggedMyotis					1			1	100.00%
Bat, Long Tongued				1	1			2	50.00%
Bat, Long-Eared Myotis				1	1			2	50.00%
Bat, Mexican Free-Tail	11	6	15	16	38	3	12	101	37.62%
Bat, Pallid	1	1	2	2	4	2	1	13	30.77%
Bat, Pipistrelle	1		1	3		2		7	0.00%
Bat, Red			1	1				2	0.00%
Bat, Silver-Haired					2			2	100.00%
Bat, Small Foot					1			1	100.00%
Bat, Western Red					1			1	100.00%
Bat, Yuba							1	1	0.00%
Bat, Yuma Myotis	1	5	3	1	3			13	23.08%
Bear, Black							1	1	0.00%
Beaver			2	4	2		3	11	18.18%
Boar, Wild							1	1	0.00%
Boar, Wild									0.00%
Bobcat	2	2	7	12	15	5	3	46	32.61%
Chipmonk, California				1				1	0.00%
Chipmunk, Longeared	1				4			5	80.00%
Chipmunk, Merriam's					1			1	100.00%
Chipmunk, Sonoma									0.00%
Coyote		14	10	31	31	3	15	104	29.81%
Deer	3	3	26	19		3	2	75	25.33%
Deer, Black-Tail	14	13	54	83		1	2	256	34.77%
Deer, Fawn	9		9	6			3	66	59.09%
Deer, Mule	2	1	50	19	8	3	15	98	8.16%
Dolphin							1	1	0.00%
Elk, Tule							1	1	0.00%

Fox				3				3	0.00%
Fox, Gray	6	2	22	28	49	3	17	127	38.58%
Fox, Kit							1	1	0.00%
Fox, Red		1	7	2	0	3	2	15	0.00%
Gopher			4	6	_			23	56.52%
Gopher, Pocket	19	11	6	29	37	2	2	106	34.91%
Gopher, Townsends			1					1	0.00%
Harbor Seal							4	4	0.00%
Hare, Black-Tail			11	22	27		3	63	42.86%
Hare, White-tailed			3	2	5			10	50.00%
Marmot					3			3	100.00%
Mink									0.00%
Mole	1			4	5			9	55.56%
Mole Townsends	2	1		1	1		1	7	14.29%
Mole, Broad-Footed	7	1		6	2			16	12.50%
Mole, California					2			2	100.00%
Mole, Shrew					2			2	100.00%
Mountain Lion				1			2	3	
Mouse	2		53	60		1		161	34.16%
Mouse, Brush				1	7		6	15	46.67%
Mouse, California			8	10			2	24	20.83%
Mouse, Deer	5	1	17	17				105	61.90%
Mouse, Field	2	6		25				87	32.18%
Mouse, House			10	2	21		2	35	60.00%
Mouse, Pinon		1						1	0.00%
Mouse, San Diego Pocket							1	1	0.00%
Mouse, Western Harvest	2	2	1	17	26			48	54.17%
Mouse, White-footed				1				1	0.00%
Muskrat	2				3			5	60.00%
Opossum	61	99	432	515		199	107	4069	65.27%
Opossum, Virginia	1	16	350	257	758	4	87	1473	51.46%
Opposum, Mexican				1				1	0.00%
Otter, River	2		3	2		1		9	11.11%
Rabbit			3	33				74	51.35%
Rabbit, Brush	16	20	21	95			4	215	27.44%
Rabbit, Cottontail, Desert	1		223	457	313	2	5	1001	31.27%
Rabbit, Cottontail, Desert									0.00%

Rabbit, Jack	18	19	46	88	122	4	3	300	40.67%
Rabbit, Mountain Cottontail									
· ·									0.00%
Raccoon	14	119	197	124	698	83	59	1294	53.94%
Rat			31	28	29		1	89	32.58%
Rat, Kangaroo			2	3	2			7	28.57%
Rat, Black (Roof)	1		21	59	52		1	134	38.81%
Rat, Common/Brown,									
Norway			3	1	8		1	13	61.54%
Rat, Desert Wood	4	3	7	8	19			41	46.34%
Rat, Dusky-Footed Wood									0.00%
Rat, Old World	2	16	2	2	1			23	4.35%
Rat, Wood	5	8	5	11	5			34	14.71%
Ringtail				4				4	0.00%
Rodent (Unidentified)			1	4				5	
Sea Lion				3			97	100	0.00%
Seal, Northern Elephant							47	47	0.00%
Shrew			4					4	0.00%
Shrew, Gray					1			1	100.00%
Shrew, Ornate									0.00%
Shrew, Trowbridge's	13	10	82	25	180	4	12	326	55.21%
Skunk, Striped									0.00%
Squirrel	4		137	71	235	26	5	478	49.16%
Squirrel, Belding Ground				1				1	0.00%
Squirrel, California Ground	14	17	113	108		3	42	1352	78.03%
Squirrel, Chicoree	2	6		2				30	66.67%
Squirrel, Douglas	1		6	4	15			26	57.69%
Squirrel, Flying	1		1	4	9			15	60.00%
Squirrel, Fox	67	215	119	130	936	74	26	1567	59.73%
Squirrel, Golden Mantle					4			4	100.00%
Squirrel, Gray	12		11	57	81	7	1	169	47.93%
Squirrel, Gray Eastern	39	168	159	142	409	13	15	945	43.28%
Squirrel, Gray Western	16	7	94	115	362	23	7	624	58.01%
Squirrel, Mojave Ground									0.00%
Squirrel, Northern Mojave					2			2	100.00%
Squirrel, Red-Fox			23	65	170	11	7	276	61.59%
Squirrel, Townsend					1			1	100.00%

Squirrel, Tree			12	15	67	2	23	119	56.30%
Squirrel, White-tailed									
Antelope					1			1	100.00%
Vole		1	2	7	6			16	37.50%
Vole, California	4	5	2	25	14		1	51	27.45%
Vole, Meadow									0.00%
Vole, White-footed			2	6				8	0.00%
Weasel	1			2	5			7	71.43%
TOTALS	397	804	2489	2943	9007	492	672	16,793	

Wildlife Rehab Report Reptiles and Amphibians 2005

Species Name	DOA	EOA	EU	Exp	Rel	Oth	Trans	Total	% Rel
Frog, Pacific Tree	1				2			3	66.67%
Lizard				2				2	0.00%
Lizard, Alligator		2						2	0.00%
Lizard, Alligator, Northern	1	2			4			7	57.14%
Lizard, Alligator, Southern	1	2	2		6			11	54.55%
Lizard, Western Fence	2	5	1	1	8			17	47.06%
Newt, California	1					2		3	0.00%
Salamander					1			1	100.00%
Salamander, Arboreal	1	1			1			3	33.33%
Salamander, Pacific Giant									0.00%
Salamander, Tiger					1			1	100.00%
Skink, Western	1		1	1				3	
Snake				1				1	0.00%
Snake, Garter	1	5		1	2		2	11	18.18%
Snake, Garter Common	1	2			5			8	62.50%
Snake, Gopher	14	11	9	3	38	1		76	50.00%
Snake, King, California	1	5			7			13	
Snake, King, Common									0.00%
Snake, Pacific Gopher									0.00%
Snake, Racer California	1							1	0.00%
Snake, Rattle, Western	1		14		4			19	21.05%
Snake, Ringneck	1				2			3	66.67%
Snake, Sharp-Tailed		1	1	1	2			5	40.00%
Toad, California				1	6	2		9	
Tortoise									0.00%
Tortoise, California Desert				1		103	2	106	0.00%
Turtle			2	3	6			11	54.55%
Turtle, Pond, Pacific									0.00%
Turtle, Pond, Western	1		7	5	67	11	4	95	70.53%
TOTALS	29	36	37	20	162	119	8	411	